DREDGE
14

Little Joe Seamount 2530 - 2175 m

SAMPLE ID	*Mn CHEM	Pt & Au*	REE *	Si Chem*	P.Sect.	35mm Pho	Archive	Paleo	XRD				
D14-1	Bulk top Bulk bottom				TS								
D14-2	Layer			Phosphorite	TS			X					
D14-3	Bulk			Phosphorite	TS								
D14-4	Bulk	Bulk	Bulk										

* All chemistry samples have XRD mineralogy done also.

SAMPLE DESCRIPTION

Cruise Id: F7-87-SC Size: 42×34×12 cm Location:

Sample Id: D14-1 Weight: 18 kg Depth: 2175-2550 m

Mn Crust Description

Surface Texture:

Mn Crust Thickness:
Min: 10 Max: 65 Ave: 40 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	6	10	9 mm	black, laminated
2.	10	65	30	black, massive
3.				
4.				
5.				
6.				

D14-1

Comments and XRD Mineralogy:

Substrate Description

Rock Type: Basalt

Description:

big piece of basalt taken for K Ar dating + bulk chem. (A.D.)

ANALYSES

Subsample & Type	Analysis	Weight
D14-1A	CC by NAA (upper 40 mm)	
D14-1B	thin section	
D14-1C	CC	
D14-1d	glass for ⁴⁰Ar/³⁹Ar (15 mm)	

Samples taken near the end of one rock at center crust is min 15 mm max 40 mm average 22 mm

blue grey porphyritic basalt
w/ common phenocrysts
up to 1mm of __?__
pyroxene. Drill margin 5-6mm
thick lines one side of clast.
Dark colored __?__ margin is
glassy for 1mm on outer edge.

big piece of basalt taken for K Ar dating + bulk chem. (A.D.)

Described By: LB Subsampled By: AD

SAMPLE DESCRIPTION

Cruise Id: F7-87-SC Size: _____ Location: Little Joe

Sample Id: DH-2 Weight: 2Kg Depth: 2175-2200m

Mn Crust Description

Surface Texture: Smooth, shiny botryoidal

Mn Crust Thickness:

Min: 5 Max: 15 Ave: 10 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	2	8	5mm	fine grained massive
2.	5	8	6	granular with 1 to 2 mm diameter
3.				
4.				
5.				
6.				



DH-2

Comments and XRD Mineralogy:

Qtz 51%; Plag. 29%; Phillipsite 6%; Dolomite 12%; Smectite 2%

Substrate Description

Rock Type: Dolomitic Mudstone ~~Phosphorite~~

~~Phosphorite~~ mudstone ~~or calcite~~ dolomite mudstone

Description:

ANALYSE

Subsample & Type	Analysis	Weight
DH-2 A	OC	
B		
(6 mm) C		*
(5 mm) D		
(6 mm) E		*
F		
G	Paleo	

did not sample this OC when rock broke open. It became obvious that all burrows reached to the outside & were infilled by the inner Mn layer of DH-2 5, 2

* 1 Phillipsite Sheet

Described By: [illegible] Subsampled By: [illegible]

D 14-2

SAMPLE DESCRIPTION

Cruise Id: F7-87-SC Size: [illegible] Location: Little Joe

Sample Id: D14-3 Weight: [illegible] Depth: 2475 - 2530

Mn Crust Description

Surface Texture: [illegible]

Mn Crust Thickness:

Min: [illegible] Max: [illegible] Ave: [illegible] mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

D14-3

Comments and XRD Mineralogy:

[illegible]

ANALYSE

Subsample & Type	Analysis	Weight
D14-3 A	[illegible]	
A	[illegible]	[illegible] breccia
B	[illegible]	[illegible] (9 m
35mm Slide	4/90	G. Smith

Substrate Description

Rock Type: Pavement Breccia

Description: [illegible]

Described By: LP Subsampled By: GSM

2 cut
1 " " fragments during cutting, which was used for geochem.

SAMPLE DESCRIPTION

Cruise Id: F7-87-SC Size: 9.5 x 8 x 4 cm Location: Little Joe

Sample Id: D14-4 Weight: ~600 grams Depth: 2175-2530

Mn Crust Description

Surface Texture: smooth to rough, botryoidal

Mn Crust Thickness:

Min: 15 Max: 42 Ave: 30 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	9	12	11 mm	laminated brown
2.	6	20	30	submetallic, botryoidal, massive w/occasional laminae
3.				
4.				
5.				
6.				

D14-4

Comments and XRD Mineralogy:

ANALYSI

Subsample & Type	Analysis	Weight
D14-4 A	LC bulk	40 mm
A	REE bulk	
A	Pt, Au bulk	

Substrate Description

Rock Type: Basalt

Description:

plagioclase basalt w/ olivine phenos up to 1mm across.

Described By: LB Subsampled By: GSM