D25·2





Petrographic Descriptions

Cruise ID TT192

Sample # D28-2

Stratabound oxide Layer

Stratabound oxide-replaced Sandstone

Stratabound oxide-cemented Sandstone

Fe-Mn Crust

Mn Textures:

- Dense
  - Massive
  - Laminated
    - Planar
    - Wavey
- Colloform
  - Columnar
  - Laminated
  - Aggregate Radial
- Stockwork

Crystal Form: Radial-fibrous Spherulitic Aligned Tabular Euhedral Void Fill

Dense Stratabound layers [illegible] at sediment interface (Grain Supported) layers. Planar layers of varied thickness. All structures of the Stratabound layers [illegible] aligned crystallites. The Planar layers [illegible] and thicken laterally [illegible] the next layer. Wavey Fibrous layers [illegible] that branch, coalesce and coalesced into laminae of planar layers. Wavey layers are [illegible]

Grain Supported Use Porosity

Cement Supported

Fracture Orientation

Fracture Fill

Porosity

Alteration and replacement of grains

Photo(s) Taken of Hydrothermal crust interface

SEM:

Microprobe

Grain Counts

	Unaltered	Altered
Volcanic Rock Fragments		
Volcanic Glass		
Mineral Grains		
Pyroxene		
Olivine		
Plagioclase		
K-spar		
Amphibole		
Quartz		
Others		
Microfossils		
Others		
Matrix		
Pore Space		
Mn Cement		
Other Cements		

Two slides were ground in [illegible]

Texture/ Notes: Very Mixed grains and fresh grains, clasts subangular to subrounded, some [illegible] clast Most are volcanic/lithic fragments of fairly large grain size, pebbles, Poorly sorted

VRF w/ palagonite (altered) rinds, very altered matrix (VRF)

Fragments glassy volcanic tuff (?) being altered to zeolite (?);

a Few Agg alternating textures

these alteration [illegible] Matrix greater (in coarse grains) on the side closer to the [illegible] and Mn type

[illegible] with [illegible] with [illegible]

Rarely [illegible] Opaques in [illegible]



5×10 P.R.L. D28-2



5×10 P.T.L. D28-2



20×10 P.R.L. D28-2