LOGGED IN ERROR NOT IN DB

Core ID J2005F GC-16	Depth	Date Processed 4/19/04
tion SUISUN BAY	Core Length	Photo
..eet 1 of 5		

General Description

CLAY, 10YR3/1 - N2.5 (SURFACE FRESH). SHELLS, W/SILTY LAMINAE. DISRUPTED STRATA @ 121-130, 177-201, 208-230, 268-277, 288-299. MOST STRATA DEFINED BY COLOR CHANGE. MAJOR END BOUND @ 285-290cm

Color Biotin

ORGANICS
SHELL

DISRUPTED

N2.5 BLK

10YR3/2 V DK GRUSH BRN

-14.6 X-RAY SEGMENT 1-1
END OF TOP CORE SEGMENT - 15cm.

10YR3/1 V DK GRY

UNIT #1 CLAY, 10YR3/2, TOUGH, MOIST
0-15cm DISRUPTED STRATA, ORGANIC SHELL DEBRIS.

UNIT #2 CLAY, 10YR3/1 + N2.5 IN BIOTICHES.
15-115cm V. SOFT, MOIST (STICKY), SILT LAM MORE OBVIOUS TOWARDS BASE

?

0-67cm HYDRAULIC MINING DEBRIS

?

-53cm X-RAY SEGMENT 2-1

ore ID J2-10-SF GC-16

2 of 5

Color | Biotin

93cm X-RAY SEGMENT 2-2

80 ORGANICS

90 FAINT, WISPY LAMINAE

100 2.5Y 3/2 V DK GRYSH BRN

110

EROS SURFACE

120 2.5Y 4/2 DK GRYSH BRN

EROSIONAL SURFACE

— DISRUPTED BURROW 121 - 130cm

BURROW

130 2.5Y 4.5/2 GRYSH BRN

→ 145 cm X-RADIOGRAPH

134cm X-RAY SEGMENT 2-3

140

150

UNIT #3 CLAY, 2.5Y 4/2 - 4.5/2, FROM 115-264 cm MOIST. DISCONTINUOUS SILTY LAMINAE SIMILAR TO X-STRATA SHELLS RARE, STRATA DISRUPTED

Core ID J200SF GC-16

Sheet 3 of 5



Core ID J200 SF GC-16

Sheet 4 of 5



Core ID J200SF GC-16

Sheet 5 of 5

Color | BiotIn



Core ID

Sheet 4 of 4

Color | Biotln

240

250

-253cm END OF X-RAY SEGMENT 3-2

260

270

280

290

-291cm END OF X-RAY SEGMENT 3-3

300

310

BASE OF CORE 307cm