D28

SAMPLE DESCRIPTION

LS-83-HW

Cruise Id: ~~EW 87 SC~~ Size: _____ Location: S. P. Lee Guyot

Sample Id: D28-A2 Weight: 7 kg Depth: 1400 m

Shark Tooth

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness:

Min: 2 mm Max: 60 mm Ave: 20 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	0	3 mm	1.5 mm	laminated vitreous, friable layer
2.	.8 mm	16 mm		dense vitreous layer
3.	(Crust broken off & missing in many cases, making accurate measurements difficult)			
4.				
5.				
6.				



D28-A2
LS-83-HW

Comments and XRD Mineralogy:

ANALYSES

Subsample & Type	Analysis	Weight
MW Crust	CC (Reston) Job # BZ 89 and REG (Denver) Job = SW 32	6/88
I 0-5 mm		
II 5-10 "		
III 10-18 "		
IV 18-25 "		
V 25-35 "		

Substrate Description

Rock Type: Volcaniclastic Breccia

Description:

2 types of basalt: 1st is highly altered porphyritic iron colored 2ND gray (Dredge with numerous pieces of crust) these are cemented by phosphate and manganese

Phosphate Study

Described By: Jung-Keuk Kang 6/88

Subsampled By: Jung-Keuk Kang 6/88

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: biggest 30×14×18 cm Location: S. Peter Guyot

Sample Id: D28-A3 Weight: 24 kg Depth: _____

Mn Crust Description

Surface Texture: botryoidal, smoothed botryoidal + smooth,

Mn Crust Thickness:

Min: 1mm Max: 2mm Ave: 1mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	1mm	2mm	1mm	massive, black
2.				
3.				
4.				
5.				
6.				

ments and XRD Mineralogy:

Substrate Description

Rock Type: Volcanic lava breccia

Description:

Phosphate cement. Pebble sized, massive, rounded angular, altered basalt clasts. Also clasts of basalt of the, very coarse to coarse sand size.

ANALYSES

more pictures →

Subsample & Type	Analysis	Weight

Described By: Subsampled By:

L5-83-HW



D28-A3

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: _____ Location: S.P Lee Guyot

Sample Id: D28-A4 Weight: 2" ea Depth: _____

Mn Crust Description

Surface Texture: botryoidal - nodular - botryoidal

Mn Crust Thickness:

Min: 1 mm Max: 2 mm Ave: 2 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.	Low	mm	2 mm	Lisc
2.				
3.				
4.				
5.				
6.				

Comments and XRD Mineralogy:

Shark's teeth all over

ANALYSES

Subsample & Type	Analysis	Weight
Bulk Mn crust	CC (Reston)	10g 6/88 Job # BZ89 (from submittal sheet)

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: _____ Location: S.P. Lee Guyot

Sample Id: D28-A5 Weight: _____ Depth: _____

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness:

Min: [illegible] Max: [illegible] Ave: [illegible]

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

D28-A5
L5-83-HW

Comments and XRD Mineralogy:

Core piece of Mn-Fe oxide [illegible] to the [illegible]

ANALYSES

Subsample & Type	Analysis	Weight
Bulk Mn crust	CC (Rocktorn)	10g 6/88 Job# BZ89 ← (from submittal sheet)

Substrate Description

Rock Type: Breccia, similar to [illegible] in the [illegible]

Description:

Described By: Jung-Keuk Kang 6/88

Subsampled By: Jung-Keuk Kang 6/88

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: 12x13x6 Location: S.P. Ice Gauge

Sample Id: D28-A6 Weight: 4 kg Depth: 1400

Mn Crust Description

Surface Texture: botryoidal

Mn Crust Thickness:

Min: patina Max: 5mm Ave:

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

L5-83-HW

D28-A6

Comments and XRD Mineralogy:

Substrate Description

Rock Type: Sandy [illegible] being replaced by [illegible]

Description:

clast of basalt [illegible]

ANALYSES

Subsample & Type	Analysis	Weight

Described By: J. [illegible] Subsampled By:

Sample Description

Cruise I.D: L5-83-HW

Sample I.D: Sta: D28-A7

Location: S.P Lr - Guyot

15+9+6 cm

Size: _____ Weight: 8558

Mn crust thickness:

Total: min: 0 max: 2cm ave: 2mm

Inner crust: min: ____ max: ____ ave: ____

Outer crust: min: ____ max: ____ ave: ____

Surface texture: abraded

Internal structure: ____

layered: ____

laminated: ____

massive: ____

porous: ____

dendritic: ____

other: ____

Mineralogy (XRD): ____

Associated alteration, phosphorite, or hydrothermal deposits: ____

Substratum:

Rock type: Basalt

Description: Altered porphyritic basalt. Cobble with adherent [illegible] (also altered)

Phosphorite cemented breccia w/in Mn crust

Mineralogy (XRD): ____

Analyses and subsamples:

analysis:	analyst:
Chemistry: bulk crust	
- Pt group	Floyd Bloom - Boston
- Au anal	Dave McKown - Denver
Se Wong Chang took subsample 10/9	

SAMPLE DESCRIPTION

Cruise Id: LS-83-HW Size: _____ Location: S.P. Lee Guyot

Sample Id: D28-A8 Weight: ~1 kg Depth: 1100

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness:

Min: 3 mm Max: 10 mm Ave: 8 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

ments and XRD Mineralogy:

Crust on all sides; nodule?

ANALYSES

Subsample & Type	Analysis	Weight

Substrate Description

Rock Type: Volcaniclastic Breccia

Description:

Altered basaltic debris cemented by phosphoride

Described By: JSchulz Subsampled By:

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: 16.5 x 9 x 10cm Location: S.P. Lee Guyot

Sample Id: D28-A9 Weight: ~1 kg Depth: 1400 M

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness:

Min: 2mm Max: 3mm Ave: 2 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

Comments and XRD Mineralogy:

ANALYSES

Subsample & Type	Analysis	Weight

Substrate Description

Rock Type: Siltstone, iron colored siltstone w/"rafts" of black siltstone breccia. Minor stringers

Description:

White veins of phosphate. Siltstone shows signs of soft sediment deformation.

Described By: J. Schulz Subsampled By:

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: _____ Location: _____

Sample Id: D28-10 Weight: <1 kg Depth: _____

Mn Crust Description

Surface Texture: cannot determine crust / substrate

Mn Crust Thickness:

Min: Patina Max: 10 mm Ave: 4 mm

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				

Comments and XRD Mineralogy:

Substrate Description

Rock Type: phosphatic Breccia cemented w/ phosphate and manganese from sand

Description:

Described By: T. Schulz Subsampled By:

ANALYSES

Subsample & Type	Analysis	Weight

Sample Description

Cruise I.D: L5-83-HW Sample I.D: Sta: D28-11 Location: S. Pl. Lee Guyot

Size: 11x4x10cm Weight: ~1 kg

Mn crust thickness:

Total: min: ? max: 10 mm ave: 5 mm

Inner crust: min: max: ave:

Outer crust: min: max: ave:

Surface texture:

Internal structure:

layered:
laminated:
massive:
porous:
dendritic:
other:

Mineralogy (XRD): Crust was botryoidal mostly broken off so can not tell if it was thicker before thin sectioning

Associated alteration, phosphorite, or hydrothermal deposits:

Substratum:

Rock type: Phosphorite

Description: 3 colors of phosphorite brown ochre light pinkish buff and cream the 2 lighter ones probably replaced carbonate mud, the brown ochre replaced glauconitic sand
sharks teeth on bottom of sample

Mineralogy (XRD):

Analyses and subsamples:

analysis:	analyst:
XRD	C. Daniel
I: substrate	
Chemistry: bulk on bisque	

Sample Description

Cruise I.D: L5-83-HW Sample I.D: Sta: D28-A12 Location: S P Lee Guyot

Size: _____ Weight: _____

Mn crust thickness:

Total: min: _____ max: _____ ave: _____

Inner crust: min: _____ max: _____ ave: _____

Outer crust: min: _____ max: _____ ave: _____

Surface texture: botryoidal to arborescent

Internal structure: _____

layered: _____
laminated: _____
massive: _____
porous: _____
dendritic: _____
other: _____

Mineralogy (XRD): _____

Associated alteration, phosphorite, or hydrothermal deposits:

Substratum:

Rock type: Volcaniclastic breccia cemented with phosphate.

Description:

The large piece is a rectangular fragment of cemented breccia

shows veins in one piece

Mineralogy (XRD):

Analyses and subsamples:

analysis:	analyst:
XRD	C Daniel
I: substrate	
Chemistry - bulk substrate	

SAMPLE DESCRIPTION

Cruise Id: L5-83-HW Size: _____ Location: S.P. Lee Guyot

Sample Id: D28-A13 Weight: _____ Depth: _____

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness:

Min:_____ Max:_____ Ave:_____

Layers (Outer to Inner):

	Min	Max	Ave	Texture
1.				
2.				
3.				
4.				
5.				
6.				



Comments and XRD Mineralogy:

ANALYSES

Subsample & Type	Analysis	Weight
Bulk Mn crust	CC (Region)	12g 6/88 Job# B289 (from submittal sheet)

Substrate Description

Rock Type: Volcaniclastic Breccia mn phosphate matrix

Description:

Vesicular basalt clasts, (fairly fresh) Several pieces [illegible] + Similar to D28-A12

Described By: Jung-Kouk Kang 6/88

Subsampled By: Jung-Kouk Kang 6/88

SAMPLE DESCRIPTION

Cruise Id: LS-83-NW Size: 95x25x60 mm (~~cm~~) Location: S.P Lee Seamt

Sample Id: D28-46/D28A-14 Weight: 41 kg (kg) Depth: 1400 (m)

Mn Crust Description

Surface Texture: Smooth to Botryoidal

Mn Crust Thickness (mm):

Min:_____ Max:_____ Ave:_____

Layers (Outer to Inner)(mm):

	Min	Max	Ave	Texture & Color
1.	7	20		Vitrous à brittle
2.				
3.				
4.				
5.				
6.				

Comments and XRD Mineralogy:

ANALYSES

Subsample Number	Analysis	LayerThickness
D28-A14	Hg	Bulk 0-20 mm

Substrate Description

Rock Type: Volcaniclastic Conglomerate

Description:

Biology ?:

Described By: JSM Subsampled By: JSM

SAMPLE DESCRIPTION

C Id: L5-83-HW Size: 10 x 5.5 x 4.5 (cm) Location: S.P. Lee Seamount

Sample Id: D28-A15 Weight: 4 kg (kg) Depth: 4700 (m)

Mn Crust Description
Surface Texture: Botryoidal

Mn Crust Thickness (mm):
Min: 4mm Max: 8mm Ave: 5mm

Layers (Outer to Inner)(mm):

	Min	Max	Ave	Texture & Color
1.				
2.				
3.				
4.				
5.				
6.				

ients and XRD Mineralogy:

Substrate Description
Rock Type: Phosphorite nodule containing a volcaniclastic sandy mud/siltstone

Description:

Biology ?:

ANALYSES

Subsample Number	Analysis	LayerThickness-Explanation

Described By: J. Schulz Subsampled By:

SAMPLE DESCRIPTION

Id: L5-83-HW Size: 29 x 17.5 x 17.5 (cm) Location: S.P. Lee Guyot

Sample Id: D28 Weight: 2.5 kg (kg) Depth: 1400 (m)

Mn Crust Description

Surface Texture: Botryoidal

Mn Crust Thickness (mm):

Min: 40 mm Max: 65 mm Ave: 45 mm

Layers (Outer to Inner)(mm):

	Min	Max	Ave	Texture & Color
1.				
2.				
3.				
4.				
5.				
6.				

L3-85-HW

D28

ients and XRD Mineralogy:

In general manganese crust layer is dense and outer crust is relatively laminar.

ANALYSES

Subsample Number	Analysis	LayerThickness-Explanation

Substrate Description

Rock Type: Volcaniclastic Breccia w/ Phosphorite Cement

Description:

Biology ?:

Described By: J. Schulz Subsampled By: