D8-12


DB12 2
DB123
DB12 1
DB12 4

Petrographic Descriptions

Cruise ID TT192

Sample # D8-12

Stratabound oxide Layer

Stratabound oxide-replaced Sandstone ✓

Stratabound oxide-cemented Sandstone ✓

Fe-Mn Crust

Mn Textures:

Dense
- Massive
- Laminated
  - Planar
  - Wavey

Colloform
- Columnar
- Laminated
- Aggregate Radial

Stockwork

Planar to wavy laminated Stratabound layers, some radial laminated Mn around mineral grains, however colloform texture in this section is the exception and not the norm. There is one stratabound layer across the section. Besides the stratabound Mn mineralization is as a cement and grain replacement.

Crystal Form: Radial-fibrous Spherulitic Aligned Tabular Euhedral Void Fill

Stratabound layer across whole section (near bottom) is Dense & laminated. most of the layers are textured w/ peaks & valleys on surface, in some places the layers are aligned & will go in & out of extinction at the same time. There is a Dense smooth layer in the middle of this sequence which leads me to suspect that minerals (if there) nucleated in two different directions that 2 sides and grew up the void with the last dense layer. there are also areas of very light gray Mn (between the 2 "episodes" of mineralization) and can crosscut (both) the Dense & textured Mn. Infills fractures in the more textured Mn.

Grain Supported Grain supported

Cement Supported

Fracture Orientation

Fracture Fill

Porosity

Alteration and replacement of grains Along stratiform layers both above & below many relict detrital grains are seen, although replacement is not restricted to these layers. There are also grains which reflect a wide variety of (clastic) grain sizes (from silt to pebble sized grains)

Photo(s) Taken of

SEM: Replaced Grains

Microprobe laminae in the stratiform layers

Grain Counts OF the Fine Grained Coarse to Medium Sand ... 0.5 intervals

	Unaltered	Altered
69	Volcanic Rock Fragments	
6	Volcanic Glass	
	Mineral Grains	
2	Pyroxene	
	Olivine	
17	Plagioclase	
	K-spar	
	Amphibole	
	Quartz	
	Others	
	Microfossils Foram not Replaced 17 Partially Replaced 5	
	Others	
22	Matrix	
9	Pore Space	
55	Mn Cement	
	Other Cements	

Note: A few V.R.F. may be Reworked from sedimentary Rock Fragments

Transmitted Light Notes:

Fine grained ... w/ Fe cement/matrix

... coarse grained volcaniclastic sandstone/ foraminiferal

Coarse sandstone ... fragments that are subrounded and mineral grains ... angular to subrounded

There is ... w/ thin layers of ...

... LG clasts

Epidote? Cryptic pleochroic, diagenetic?



5x10 P.R.L D8-12



5x10 P.T.L D8-12

The Foreon test is not Replaced here



10x10 P.R.L D8-12